

AC 175

Cummins
Mecc Alte
D+&

Manufacturer		Cummins		
Model		6BTAA 5,9-G5		
		% \$ \$	"# "	
		%* \$	"	
		Q% < DQ		
	L	5,90		
	"	102 x 120		
		16,5:1		
	fl # ı	"# "	1500	
	fl ı	L	16,40	
		L	26,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	12,00		
	' # "	138		
	' # "	32,00		
	° C	533		
		12 V d.c.		
	Load	% \$ \$ı	'+)ı) \$ı
	# "	37,00	29,00	19,00


		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180		
7 cg		0,80		
		3		
	fl ı	400/230		
	A	259		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AC 175	1350	2320	1160	1700	380
		fl ı		fl ı	
	"	"	"	"	L
AK 50	1845	3250	1160	1900	

AC 175

Cummins
Mecc Alte
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 4

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$ 8G9'+&\$ fl
 &\$ ž fl
 8G9'+&\$ ž
 fl ž fl %\$\$
 ž
 # ž ž ž ž

AC 175

Cummins
Mecc Alte
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$

%)

ž


ž

ž

AC 175

Cummins
Mecc Alte
D+&''

5?) \$!



1

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

2

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

1160 mm (45.7 in) x 3250 mm (127.9 in) x 1900 mm (74.8 in)

	"	1160
fl "L	"	3250
fl "L	"	1900