


# AC 250

Cummins  
Mecc Alte  
D+ &



ISO8528

GC ; ) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#( #

z) \$ z' z' D:

	"	"	"	"	Amp
400/230	250,00	200,00	225,00	180,00	324,00

fPGL

GC ; ) &

) & z

fDF DL

% %&

GC " \$(\*"

z&(

GC

## Standard Specifications

(\*# \$S

z

fl

!

z

## ALTERNATOR

!

!

!

!

!

!

!

!

!

## TRANSFER SWITCH

!

!

!

# AC 250

Cummins  
Mecc Alte  
D+' &'

Manufacturer		Cummins		
Model		6CTAA 8,3-G2		
		%\$\$' "# "		
		&' % "		
		0%\$<DQ		
	L	8,30		
	"	114 x 135		
		16,7:1		
	fl # ı	"# "	1500	
	fl ı	L	23,80	
		L	32,00	
AbsorbedAirDischargeReSourceKey.Text	' # "	15,30		
	' # "	186		
	' # "	41,00		
	° C	565		
		24 V d.c.		
	Load	%\$\$ı	'+)ı	)\$ı
	# "	51,80	38,00	25,00

		Mecc Alte
		ECO 38-3SN
	Hz	50
	"	225
7cg'		0,80
		3
	fl ı	400/230
	A	324
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AC 250	1970	2900	1150	1800	420
		fl ı		fl ı	
	"	"	"	"	L
ASM 7	2750	4000	1210	2000	420






# AC 250

Cummins  
Mecc Alte  
D+ & T

## 5GA 5+!



1. 5GA 5+! 250 kVA Standby generator set. 2. Cummins engine. 3. Mecc Alte alternator. 4. D+ & T control panel. 5. Base. 6. Side panel. 7. Maintenance door. 8. Fuel tank. 9. Exhaust. 10. Cooling fan.

	"	1210
fl "L	"	4000
fl "L	"	2000
		420