



# AD 600

Doosan  
Mecc Alte  
D+' &'

Manufacturer		Doosan														
Model		P180LE														
		<table border="1"> <tr> <td>%\$ \$' "# "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>(- *' "</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Ø*) &lt; DQ</td> <td></td> <td></td> <td></td> </tr> </table>			%\$ \$' "# "				(- *' "				Ø*) < DQ			
%\$ \$' "# "																
(- *' "																
Ø*) < DQ																
	L	18,30														
	"	128 x 142														
		15: 1														
	fl # ı	"# "	1500													
	fl ı	L	35,00													
		L	94,00													
AbsorbedAirDischargeReSourceKey.Text	' # "	31,60														
	' # "	565														
	' # "	98,00														
	° C	580														
		24 V d.c.														
	Load	%\$ \$ı	'+) ı	) \$ı												
	# "															
		111,60	81,30	54,80												

		Mecc Alte		
		ECO40-1L		
	Hz	50		
	"	550		
7cg'		0,80		
		3		
	fl ı	400/230		
	A	793		
Temperatur		H		

		fl ı		fl ı	
	"	"	"	"	L
AD 600	3470	3360	1400	2040	850
		fl ı		fl ı	
	"	"	"	"	L
AK 81	4720	4900	1600	2500	850





# AD 600

Doosan  
Mecc Alte  
D+ &''

5? , %!



- 1
- 2
- 3
- 4
- 4
- 5
- 7
- 8
- 9
- 10

1

f! \$\$\$! '%/\$\$' £

ž

ž

"

"

1

ž

ž

ž

ž

ž

'&\$\$\$#/( # "

	"	1600
f! "£	"	4900
f! "£	"	2500
		850