

AD 770

Doosan
Mecc Alte
D+ &



ISO8528	GC,) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC & \$\$\$#(#
z) \$ z'z' D:

	"	"	"	"	Amp
400/230	770,00	616,00			

Standard Specifications
(*) \$\$\$
fl ! E
z
z

ALTERNATOR
fl ! E
fl " E
fl \$\$\$ \$\$\$ E
fl " \$ E

TRANSFER SWITCH
fl ! E
fl " E
fl \$\$\$ \$\$\$ E
fl " \$ E

AD 770

Doosan
Mecc Alte
D+' &'

Manufacturer	Doosan		
Model	P222LE-II		
		%\$\$' "# "	
		*) &' "	
		Q +(<DQ	
	L	21,93	
	"	128 x 142	
		14,0:1	
	fl # ı	"# "	1500
	fl ı	L	40,00
		L	125,00
AbsorbedAirDischargeReSourceKey.Text	' # "	40,30	
	' # "	700	
fl ' # ı	' # "	120,00	
	° C	635	
		24 V d.c.	
	Load	%\$\$ı	'+)ı
	# ")\$ı	
		147,00	108,00
			71,60

		Mecc Alte
		ECO 40-VL/4
	Hz	50
	"	720
7cg'		0,80
		3
	fl ı	400/230
	A	1039
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AD 770	4570	3700	1400	2200	950
		fl ı		fl ı	
	"	"	"	"	L
AK 85	6230	5800	1620	2550	1150

AD 770

Doosan
Mecc Alte
D+ &''

5? ,) !'



- 1
- 2
- 3
- 4
- 4
- 5
- 7
- 8
- 9
- 10

1

fl \$\$\$! '%&\$\$' £

ž

ž

"

"

1

ž

ž

ž

ž

ž

'&\$\$\$#/(# "

	"	1620
fl "£	"	5800
fl "£	"	2550
		1150