

AJD 45

John Deere
Mecc Alte
D+&



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	"	"	"	Amp
400/230	44,00	35,00	40,00	32,00	57,00

Standard Specifications

(* # \$ \$

fl ! E

z

z

ALTERNATOR

fl ! E

fl " E

fl " ! \$ E

TRANSFER SWITCH

fl ! E

AJD 45

John Deere
Mecc Alte
D+&

Manufacturer	John Deere		
Model	3029 T		
		% \$ \$	"# "
		(& "	"Q* < DQ
	L	2,90	
	"	106 X 110	
		17,2:1	
	fl # ı	"# "	1500
	fl ı	L	8,50
		L	18,00
AbsorbedAirDischargeReSourceKey.Text	' # "	3,20	
	' # "	7,60	
	° C	590	
		12 V d.c.	
	Load	% \$ \$ı	(+) ı
	# ") \$ı	
		9,70	7,50
			5,20


		Mecc Alte
		ECO 32-3S/4
	Hz	50
	"	40
7cg		0,80
		3
	fl ı	400/230
	A	57
Temperatur		H

		fl ı		fl ı	
	"	"	"	"	L
AJD 45	805	1780	960	1150	105
		fl ı		fl ı	
	"	"	"	"	L
AK 30	1150	2480	1010	1470	

AJD 45

John Deere
Mecc Alte
D+&''

1 D+&''



8G9ž +&\$ž) 5ž&&\$#(\$

8G9ž +&\$ž) 5ž&&\$#(\$

8G9ž +&\$ž) 5ž&&\$#(\$

8G9ž +&\$ž) 5ž&&\$#(\$

8G9ž +&\$ž) 5ž&&\$#(\$

AJD 45

John Deere
Mecc Alte
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$

%)

ž

ž

ž

